

# LA GARD

## Mechanical combination lock

3 Wheel (1985, 3330, 3390), 4 Wheel (1947), Key Lock, 4 Wheel 2270, Dials and Rings



### 3 Wheel combination lock



#### Model 1985 UL Group 1, EN1300B, VdS Class 2, IMP

- Die-cast bolt and drop lever
- Standard footprint
- One million possible combinations
- Integrated re-locker, bolt blocking in case of manipulation of the lock cover
- Bolts available in standard 0.5" (12.7mm) and extended 1.50" (38.1mm)
- Drilled and tapped bolts available
- US (10-32) and Metric (4mm)
- Mounting: Right Hand, Left Hand, Vertical Up, Vertical Down



#### Model 3330 UL Group 2, EN 1300B, VdS Class 1

- Die-cast bolt and drop lever
- Standard footprint
- One million possible combinations
- Changeable 3 wheel combination lock with deadbolt
- Combination change requires access to the back of the lock and Change Key or Safes CEN L-CEN IV
- Mounting: Right Hand, Left Hand, Vertical Up, Vertical Down



#### Model 3390 UL Group 2M, EN1300B, ECB-S, VdS Class 2, IMP, A2P

- Sintered steel bolt and die-cast drop lever
- Standard footprint
- One million possible combinations
- Integrated re-locker, bolt blocking in case of manipulation
- Thru-case mounting
- Bolts available in standard 0.5" (12.7mm) and extended 1.50" (38.1mm) lengths
- Drilled and tapped bolts available US (10-32) and Metric (4mm)
- Mounting: Right Hand, Left Hand, Vertical Up, Vertical Down


### 4 Wheel combination lock



2212, 2217, 2218, 2242 Keys – 3", 4", 5", 6"

#### Model 1947 UL Group 1, EN1300C, VdS Class 3, IMP

- Die-cast bolt and drop lever
- Standard footprint
- One hundred million possible combinations
- Integrated re-locker, bolt blocking in case of manipulation
- Bolts available in standard 0.5" (12.7mm) and extended 1.50" (38.1mm) lengths
- Drilled and tapped bolts available US (10-32) and Metric (4mm)
- Mounting: Right Hand, Left Hand, Vertical Up, Vertical Down



2226 Key hole cover

#### Model 2270 UL Type 2

- Four brass wheels for long life
- Standard footprint
- Integrated re-locker, bolt blocking in case of manipulation
- Key retained when in open position
- Bolts available in standard 0.5" (12.7mm) and extended 1.50" (38.1mm) lengths
- Drilled and tapped bolts available US (10-32) and Metric (4mm)
- Mounting: Right Hand, Left Hand (Vertical Up & Vertical Down – optional depending on escutcheon plate)

## 4 Wheel combination lock (continued)



### Model 1730, 1731, 1730Bk and 1731Bk

#### 1730 – Restrict-a-vision dial and ring

#### 1731 – Restrict-a-vision key locking dial and ring

- For use with all LA GARD Mechanical Combination Locks
- Top reading
- Die cast spindle – 4" (102mm)

#### Options

- Steel spindle – 7.50" (191mm)
- Steel spindle – 11.5" (292mm)
- Satin chrome finish and black numbers
- Black finish and white numbers



### Model 1777 and 1779

#### 1777 – Dial and ring

#### 1779 – Key locking dial and ring

- For use with all LA GARD Mechanical Combination Locks
- Front reading
- Die cast spindle – 4" (102mm)

#### Options

- Steel spindle – 7.50" (191mm)
- Steel spindle – 11.5" (292mm)
- Satin chrome finish and black numbers
- Black finish with white numbers



### Model 2085 and 2090

#### 2085 – VisionGard, dial and ring

#### 2090 – VisionGard, key locking dial and ring

- For use with all LA GARD mechanical combination locks
- Top reading
- Die cast spindle – 3.95" (100.33 mm)

#### Options

- Steel spindle – 7.50" (191mm)
- Steel spindle – 11.5" (292mm)
- Available in: Satin Chrome, Bright Brass, Bright Chrome, Black Platinum, Black and 24kt Gold

#### Finishes



Satin Chrome Bright Brass Bright Chrome Black Platinum Black 24kt Gold



### Model 2107

#### 2107 – Small dial and ring

- For use with all LA GARD mechanical combination locks
- Front reading
- Die cast with satin chrome or black & white finish
- Die cast spindle – 4" (102mm)

#### Options

- Steel spindle – 7.50" (191mm)
- Steel spindle – 11.5" (292mm)
- Black finish with white numbers



## Accessories

### 2300 – Satin Chrome Handle with Stem (2.5" x 7/16-20)

### 2300B – Black Handle with Stem (2.5" x 7/16-20)

### 2226 – Key Hole (Escutcheon Plate)



#### Access Automation Solutions

Entrance Automation  
Entrance Security



#### Access Control Solutions

Electronic Access & Data  
Escape and Rescue Systems  
Lodging Systems



#### Access Hardware Solutions

Door Closers  
Architectural Hardware  
Mechanical Key Systems



#### Services

Technical Support  
Installation and commissioning  
Maintenance and Repair



#### Key & Wall Solutions

Key Systems  
Movable / Sliding Walls



#### Safe Locks

Electronic Safe Locks  
Mechanical Safe Locks  
Boltworks and Accessories



#### Glass systems

Manual door systems  
Glass fittings  
Horizontal Sliding Walls

## Our Sustainability Commitment

We are committed to foster a sustainable development along our entire value chain in line with our economic, environmental and social responsibilities toward current and future generations. Sustainability at product level is an important, future-oriented approach in the field of construction. In order to give quantified disclosures of a product's environmental impact through its entire life cycle, dormakaba provides Environmental Product Declarations (EPD), based on holistic life cycle assessments.

<https://www.dormakabagroup.com/en/sustainability/product-declarations>

